







# BILL OF MORTALITY,

For Portsmouth, Newhampshire, for A. D. 1801.

BY LYMAN SPALDING, M. B. &c.

COMPLAINT.	AGE.	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
Aphtha.	3 weeks.								1					1
Apoplexy	39 years												1	1
Atrophy	3 weeks, 50 3 years, 4 months 55 years.	1					2			1			1	5
Cancer	65 76 years								1		1			2
Cholera Infantum	6 to 18 months							1	1	2	3			7
Consumption	54. 50. 56. 75. 44. 35. 27. 83. 65. 69. 56. 50. 60. 44. 32. 55. 26. 40. 48. 32.	4	1		1	3		1	3	1	2	2	2	20
Debauchery	25, 29 years				1				1					2
Dropsy	28, 41 years						1	1						2
Dropsy in the brain	12 months			1										1
Epilepsy	4 w. 10 y. 8 w.	1		1					1					3
Fever, billious	26. 30—45—18. 28—18. 14— 64—8. 33.			2		1	2			2	1		2	10
Fever, pulmonic	12 d. 15. 21. 84 y		1		1						1		1	4
Hooping cough	3 m. to 4 years										4	7		11
Illiac passion	95 years											1		1
Mortification	60 years	1												1
Nephritis	74. 66 years						1				1			2
Old age	82. 99. 75. 76. 80	2						1		1		1		5
Palsy	54. 42—68. 64—77. 46. 64— 64. 43—60. 19. 80.			2	2		3			2			3	12
Phrenitis	31 years		1											1
Scrophula	8 years				1									1
Still born		1												1
CASUALTIES	Burnt												1	1
	Drowned											1	1	2
	Fall						1							1
	Frozen										1			1
	Paregoric	1												1
Total.		11	3	6	6	4	10	4	8	9	15	12	12	100

Portsmouth, situated 43d. 5m. north. 70d. 41m. west from London, contains 5511 inhabitants. The town has been very healthful, not one in fifty five having died. A bilious remitting fever prevailed the whole year, which in several instances, in september and october, manifested the malignant type. From june to october, the cholera infantum was prevalent. From september to the end of the year, the hooping cough was endemic, very few children escaped it. A fifth part have died of phthisis pulmonalis!!! "Is THERE NO BALM IN GILEAD? Is THERE NO PHYSICIAN THERE?"



797  
5

# BILL OF MORTALITY.

For Portsmouth, New Hampshire, for A.D. 1801.

BY LYMAN SPALDING, M.D. &c.

COMPLAINT.	AGE.	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
Parotitic	6 months	1												1
Frozen	38 years													1
Fall	17 years													1
Drowned	60. 18. 45 years													1
Burnt	71 years													1
Still born		1												1
Scrophulous	8 years													1
Phrenitis	31 years													1
Palsy	24. 43-60. 18. 20.													1
Old age	82. 60. 75. 76. 80.													1
Nephritis	74. 66 years													1
Mortification	60 years													1
Illiac passion	95 years													1
Hooping cough	3 m. to 4 years													1
Fever, pulmonary	12. 4. 15. 21. 64 y.													1
Fever, bilious	20. 30-45. 18. 22-25. 14-20. 40-45. 50.													1
Epilepsy	4 w. 10 y. 8 w.													1
Dropsy in the brain	12 months													1
Dropsy	28. 41 years													1
Debility	25. 29 years													1
Consumption	24. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50.													1
Cholera Infantum	6 to 18 months													1
Cancer	65. 76 years													1
Anophy	4 months 21 years													1
Anoplexy	39 years													1
Aphids	3 weeks.													1

Portsmouth, situated 46 1/2 m. north 704. 4 m. west from London, contains 2411 inhabitants. The town has been very healthy, not one in fifty five having died. A bilious remitting fever prevailed the whole year, which in several instances, in September, and October, manifested the malignant type. From June to October, the cholera infantum was prevalent. From September to the end of the year, the hooping cough was endemic, very few children escaped it. A mild putrid fever of phthisis pulmonalis!!! & there was no small exalted, in these no regular season.



# BILL OF MORTALITY,

For Portsmouth, Newhampshire, for A. D. 1802.

BY LYMAN SPALDING, M. B. &c.

COMPLAINT.		AGE.	Jan	Feb	M	A	My	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total.
Aphtha	:	4,4 weeks									2				2
Apoplexy	:	66-33-55-43-63 years	1		1					1		1	1		5
Atrophy	:	55-69-40-55, 3 m. 60 years			1				1		1			3	6
Cancer	:	55-63, 60 years										1	2		3
Cankerrash	:	8-2-5, 7 m. 2, 16, 23, 4 years										1	1	6	8
Cholera of Infants	:	6 to 24 months							1	6	2	3		1	13
Cholic billious	:	42 years											1		1
Consumption	:	<small>14,74-53,47-53,30,69,17-33,30,60-14,33,18,69,64,60,33-28-48,52,18-29,50-63,28-22,30</small>	2	2	4	3	7		1	3		2	2	2	28
Debauchery	:	55-38 years						1						1	2
Dropsy	:	69-50-84-52, 89-24 years		1			1		1		2			1	6
Dropsy in the brain	:	3-7-7-8-13 years	1	1	1			1		1					5
Dysentery	:	3, 2-2 years									2	1			3
Epilepsy	:	64-2, 2 years									1	2			3
Fever and Ague	:	33 years										1			1
Fever billious	:	74-30-27 years			1	1							1		3
Fever billious malignant	:	<small>44-31,41,13,35,21,30,40,30,13</small>							1	9					10
Fever pulmonic	:	65, 45 years	2												2
Gout	:	52 years					1								1
Gravel	:	41 years								1					1
Hooping cough	:	10 weeks to 1 year	3	3				1			1				8
Infantile complaints	:	6 days 4 weeks			1				1						2
Measles	:	<small>7-1,20,4,9m. 2,7,1,2,1-2 years</small>				1	4	5	1						11
Mortification	:	7 m. 1 year			1						1				2
Old age	:	94, 90-78, 76 years		2									2		4
Palsy	:	60-74-64-50 years	1	1						1				1	4
Phrenitis	:	30-12 years					1		1						2
Premature birth	:		2			1	1	1			1				6
Quinsy	:	3 years					1								1
Scald head	:	1 year		1											1
Small pox, natural	:	33 years			1										1
Small pox, inoculated	:	1 year			1										1
CASUALTIES. { Drowned	:	48-60 years					1							1	2
{ Fall	:	55 years											1		1
{ Frozen	:	82 years												1	1
{ Poisoned by opium	:	4 months								1					1
{ Suicide	:	32 years		1											1
Total.			12	10	14	6	17	9	7	24	12	13	12	16	152

Portsmouth, situated 43 d. 5 m. north, 70 d. 41 m. west from London, contains about 5600 inhabitants. The town has been very unhealthful, some epidemic having raged the whole year. The hooping cough in january and february was very prevalent; and some sporadic cases continued till september. The measles made its appearance about the middle of march and was very prevalent till july; at which time a billious malignant fever made its appearance, and continued till august; when the cholera and cankerash commenced, and continued through the year.








# BILL OF MORTALITY,

For Portsmouth, Newhampshire, for A.D. 1803.

BY LYMAN SPALDING, M.B. &c.



COMPLAINT.	AGE.	Male	Female	Janu.	Febr'y.	March	April	May	June	July	Augu.	Sept'r.	Octo'r.	Nov'r.	Dec'r.	Total
Abscess in the lungs : : : : 19-53 years		2			1											2
Apoplexy : : : : : 85-54-48 years			3			1		1					1			3
Asthma : : : : : 40 years		1					1									1
Atrophy : 2-12-2m.-11d-3m-2y, 18-14m, 3w		5	4	1					1	1	1	1	2		2	9
Bleeding from the lungs : : : 55-61 years		1	1				1		1							2
Cankerrash { 11,6m,1m,5,1,17-2,25,22,35,1-20,3,3,22,11-6,4- } years		14	17	6	5	5			2	4	5	2	2			31
i.e. Scarlatina { -10,3m,6,10m-9,37,3,3,4m.-4,12-16,1 }																
Cholera of infants : : : : 3y-6m-18 months		2	1							1		1	1			3
Colic billious : : : : : 33-30 years		1	1	1						1						2
Consumption { 40,69,39,38-25,36,-24,18,27,72-43,38 } years		4	16	4	2	4			2	1		1	2		4	20
	{ -35-48-15,22-24,15,44,60. }															
Convulsions { 60-20-2w,3w-1w,4w,38 } years		6	5			1	1		2	3	2				2	11
	{ -1d,14-1,39 }															
Dropsy : : 55,40-28,3-47,77-40-44-22 years		3	6	2		2				2	1		1		1	9
Dropsy in the brain : : : : 10,4m-18-6m.		3	1	2					1					1		4
Dropsy on the head : : : : : 2 years			1					1								1
Dropsy in the breast : : : : : 21 years		1									1					1
Dysentary : : : : : : : 9 months			1									1				1
Epilepsy : : : : : : : 40,1 years			2										1		1	2
Erysipelas : : : : : : : 5 months		1					1									1
Fever and Ague : : : : : : : 18 years		1						1								1
Fever billious : : : : : : : 17-40 years		2				1		1								2
Fever pulmonic : : : : { 50-22,46-50,72,23,62,56 } years		4	9			1	2	5	2			1	1	1		13
	{ -70,72-7-77-35 }															
Fever typhus : : : : : : : 71-53 years		1	1			1								1		2
Inflammation of the bowels : : : : 23 years		1							1							1
Jaundice : : : : : : : 49 years		1		1												1
Lock-jaw : : : : : : : 38 years		1		1												1
Nephritis : : : : : : : 43 years		1								1						1
Old age 87,88,74-80-74,82-78-78-86,86 years		2	8	3	1	2		1	1	2						10
Palsy : : : : : : : 58-82-36 years			3				1	1						1		3
Phrenzy : : : : : : : 48-24 years		2							1					1		2
Premature birth : : : : : : : : : :		1	1				1				1					2
Quincy : : : : : : : 2-22 years		1	1										1	1		2
Scrophula : : : : : : : 12 years		1				1										1
CASUAL- { Overlaid : : : : : 1 month			1				1									1
TIES. { Suicide : : : : : 28 years		1									1					1
BIRTHS { Males 106 } Total 213		61	86	19	11	19	9	11	14	16	12	7	13	6	10	147
	{ Females 107 }															

Portsmouth, situated 43°, 5' North, 6°, 26' East Longitude from Washington, contains about 6000 inhabitants.







# BILL OF MORTALITY

For Portsmouth, Newhampshire, for A. D. 1804.

BY LYMAN SPALDING, M.D.

COMPLAINT.	AGE.	MALES.	FEMALES.	JANUARY.	FEBRUARY.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUGUST.	SEPTEMBER.	OCTOBER.	NOVEMBER.	DECEMBER.	TOTAL.
Aphtha .....	1-1 month	1	1													2
Apoplexy .....	40-40 years		2				1							1		2
Atrophy .....	2w-2w, 1-3-1-1y, 1-2m, 2 years	6	3		1		2		1		1		2		2	9
Cholera of Infants .....	3, 10-10, 15-12 months	1	4						2			2	1			5
Consumption <sup>20 11 27 67 37 40 27 39 60 53 53 78 64</sup> <sub>25 75 20 66 53 43 57 20 30 38 50 52 24</sub> y		9	17	4	3	3	3	1	2	2		3	1	2	2	26
Convulsions { 3w-3m, 5d-9m-18y, 3d, } { 4d-19, 8m, 40y-10m, 4, 4 }	days	6	7			1	2	1				3		3	3	13
Dropsy .....	30-54-53 years	2	1		1							1	1			3
Dropsy in the brain .....	2-1-21-12-1 years	1	4			1	1	1		1				1		5
Dysentary .....	6 years		1										1			1
Fever billious .....	9-23 years	1	1								1		1			2
Fever puerperal .....	38 years		1				1									1
Fever pulmonic .....	68-3-32 years	2	1		1		1		1							3
Gravel .....	60 years	1		1												1
Hooping cough .....	2m, 4w, 2y-4 months		4										3		1	4
Lock jaw .....	35 years	1								1						1
Mortification .....	17-71-64-48-19 years	1	4	1		1		1						1	1	5
Nonclosure of the foramen ovale } and canalis arteriosus, }	..... 2 days	1			1											1
Old age .....	91, 84, 80-78-60-82 years	3	3		3	1							1		1	6
Palsy .....	84-84-42, 67, 41 years	3	2								1		1	3		5
Phrenzy .....	35 years	1								1						1
Premature birth .....		1	2				3									3
Quinsy .....	3y-1y-18, 5 months	4										1	1	2		4
CASU- { Drowned .....	19-27 years	1	1					1		1						2
ALTIES { Fall .....	18, 31-17 years	3						2				1				3
{ Scalded .....	30y-15 months	2										1	1			2
BIRTHS { Males 163 } { Females 130 }	Total 293.	Total 51 59		6	10	7	14	8	6	6	4	11	14	12	12	110
MARRIAGES	64.															

PORTSMOUTH, the capital of the state of Newhampshire, situated 43°, 5', north latitude, and 6°, 26' east longitude from Washington, contains above 6000 inhabitants.

The cholera of infants made its appearance in june and continued into november—the hooping cough appeared in september, and prevailed to the end of the year—the quinsy, or croup, was first noticed in october, and its footsteps are traced to the last of december.

The nonclosure of the foramen ovale, in a child of two days old, is a singular occurrence, the child was very healthy, strong and robust, but suddenly changed to a blue colour, gasping for breath; friction and warm bathing restored its colour but for a few minutes, the blue appearance returned, and he died gasping for breath, evidently for want of the circulation through the lungs.

As usual, the consumption is highest on the list, nearly one fourth part have died of that disease.—How long shall this remain the opprobrium of the art!!!—It is unusual for the consumption to appear so early in life as the 11th year, but this in a lad of colour, was an unquestionable case of phthisis pulmonalis.

The town has exhibited its usual healthfulness this year, not one in 55 having died, differing essentially from the two last years. The births compared to the deaths are nearly as three to one.



# TABLE OF MORTALITY

For Portsmouth, New Hampshire, for A. D. 1882.  
BY LYMAN SPAID, M.D.

CONSTANT.									
AGE.									
MALES.	1-1 month	1-1 year	1-10 years	10-20 years	20-30 years	30-40 years	40-50 years	50-60 years	60-70 years
1	1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10	10	10
11	11	11	11	11	11	11	11	11	11
12	12	12	12	12	12	12	12	12	12
13	13	13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15	15	15
16	16	16	16	16	16	16	16	16	16
17	17	17	17	17	17	17	17	17	17
18	18	18	18	18	18	18	18	18	18
19	19	19	19	19	19	19	19	19	19
20	20	20	20	20	20	20	20	20	20
21	21	21	21	21	21	21	21	21	21
22	22	22	22	22	22	22	22	22	22
23	23	23	23	23	23	23	23	23	23
24	24	24	24	24	24	24	24	24	24
25	25	25	25	25	25	25	25	25	25
26	26	26	26	26	26	26	26	26	26
27	27	27	27	27	27	27	27	27	27
28	28	28	28	28	28	28	28	28	28
29	29	29	29	29	29	29	29	29	29
30	30	30	30	30	30	30	30	30	30
31	31	31	31	31	31	31	31	31	31
32	32	32	32	32	32	32	32	32	32
33	33	33	33	33	33	33	33	33	33
34	34	34	34	34	34	34	34	34	34
35	35	35	35	35	35	35	35	35	35
36	36	36	36	36	36	36	36	36	36
37	37	37	37	37	37	37	37	37	37
38	38	38	38	38	38	38	38	38	38
39	39	39	39	39	39	39	39	39	39
40	40	40	40	40	40	40	40	40	40
41	41	41	41	41	41	41	41	41	41
42	42	42	42	42	42	42	42	42	42
43	43	43	43	43	43	43	43	43	43
44	44	44	44	44	44	44	44	44	44
45	45	45	45	45	45	45	45	45	45
46	46	46	46	46	46	46	46	46	46
47	47	47	47	47	47	47	47	47	47
48	48	48	48	48	48	48	48	48	48
49	49	49	49	49	49	49	49	49	49
50	50	50	50	50	50	50	50	50	50
51	51	51	51	51	51	51	51	51	51
52	52	52	52	52	52	52	52	52	52
53	53	53	53	53	53	53	53	53	53
54	54	54	54	54	54	54	54	54	54
55	55	55	55	55	55	55	55	55	55
56	56	56	56	56	56	56	56	56	56
57	57	57	57	57	57	57	57	57	57
58	58	58	58	58	58	58	58	58	58
59	59	59	59	59	59	59	59	59	59
60	60	60	60	60	60	60	60	60	60
61	61	61	61	61	61	61	61	61	61
62	62	62	62	62	62	62	62	62	62
63	63	63	63	63	63	63	63	63	63
64	64	64	64	64	64	64	64	64	64
65	65	65	65	65	65	65	65	65	65
66	66	66	66	66	66	66	66	66	66
67	67	67	67	67	67	67	67	67	67
68	68	68	68	68	68	68	68	68	68
69	69	69	69	69	69	69	69	69	69
70	70	70	70	70	70	70	70	70	70
71	71	71	71	71	71	71	71	71	71
72	72	72	72	72	72	72	72	72	72
73	73	73	73	73	73	73	73	73	73
74	74	74	74	74	74	74	74	74	74
75	75	75	75	75	75	75	75	75	75
76	76	76	76	76	76	76	76	76	76
77	77	77	77	77	77	77	77	77	77
78	78	78	78	78	78	78	78	78	78
79	79	79	79	79	79	79	79	79	79
80	80	80	80	80	80	80	80	80	80
81	81	81	81	81	81	81	81	81	81
82	82	82	82	82	82	82	82	82	82
83	83	83	83	83	83	83	83	83	83
84	84	84	84	84	84	84	84	84	84
85	85	85	85	85	85	85	85	85	85
86	86	86	86	86	86	86	86	86	86
87	87	87	87	87	87	87	87	87	87
88	88	88	88	88	88	88	88	88	88
89	89	89	89	89	89	89	89	89	89
90	90	90	90	90	90	90	90	90	90
91	91	91	91	91	91	91	91	91	91
92	92	92	92	92	92	92	92	92	92
93	93	93	93	93	93	93	93	93	93
94	94	94	94	94	94	94	94	94	94
95	95	95	95	95	95	95	95	95	95
96	96	96	96	96	96	96	96	96	96
97	97	97	97	97	97	97	97	97	97
98	98	98	98	98	98	98	98	98	98
99	99	99	99	99	99	99	99	99	99
100	100	100	100	100	100	100	100	100	100
Total									

Portsmouth, N. H., 1882. The following table shows the number of deaths from various causes in the city of Portsmouth, New Hampshire, for the year 1882. The table is divided into two parts, one for males and one for females, and is further subdivided into age groups. The causes of death are listed in the right-hand column, and the number of deaths for each cause is given in the left-hand column. The total number of deaths for each age group is given in the bottom row of the table.

The following table shows the number of deaths from various causes in the city of Portsmouth, New Hampshire, for the year 1882. The table is divided into two parts, one for males and one for females, and is further subdivided into age groups. The causes of death are listed in the right-hand column, and the number of deaths for each cause is given in the left-hand column. The total number of deaths for each age group is given in the bottom row of the table.

The following table shows the number of deaths from various causes in the city of Portsmouth, New Hampshire, for the year 1882. The table is divided into two parts, one for males and one for females, and is further subdivided into age groups. The causes of death are listed in the right-hand column, and the number of deaths for each cause is given in the left-hand column. The total number of deaths for each age group is given in the bottom row of the table.



# BILL OF MORTALITY.

For Portsmouth, Newhampshire, for A. D. 1805.

BY LYMAN SPALDING, M. D.

COMPLAINT.	AGE.	MALES.	FEMALES.	JANUARY.	FEBRUARY.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUGUST.	SEPTEMBER.	OCTOBER.	NOVEMBER.	DECEMBER.	TOTAL.
Abscess .....	8 years	1								1						1
Angina pectoris .....	73 years	1			1											1
Aphtha .....	10 days, 3 months	1	1									2				2
Apoplexy .....	34 years	1		1												1
Asphyxia .....	62 years	1			1											1
Atrophy .....	72-64 years 2 months	1	2				1							1	1	3
Bedridden .....	84 years	1		1												1
Bleeding .....	40 years	1							1							1
Blceding at the lungs .....	43 years	1									1					1
Cholera of Infants <sup>14 10 11 10 11 10 2 18 9 7 2 1 m</sup>		6	6					1	1	2	2	3	2		1	12
Consumption <sup>26 55 41 38 16 38 10 55 48 63 50 27 63 49 34</sup>		7	23	5	2	3	4	2	2	1	1			3	3	30
Convulsions <sup>43 22 23 13 35 47 31 22 17 34 55 40 23 23 25 y</sup>	37y 2d 3y 1y 4d 3y 9-18m 20-40 y	2	8	1	1				1	2		1	1	1	2	10
Croup .....	7, 3, 3, 3, 1, 2, 9, years	2	5	4		1									2	7
Dropsy .....	42, 54, 60, 50, 70 years	2	3	1						2				1	1	5
Dropsy in the brain .....	1, 8, 1, 2 years	3	1	1			2						1			4
Dropsy in the chest .....	14 years	1													1	1
Erythema .....	5 weeks	1												1		1
Fever puerperal .....	26 years	1				1										1
Fever pulmonic, ....	67, 14, 43y, 8m, 68, 70 years	2	4		1	1	1	1							2	6
Herpes .....	2 years	1				1										1
Hooping cough .....	15, 15, 15m, 5 years	2	2	1					2						1	4
Intemperance .....	37 years	1						1								1
Jaundice .....	56, 30 years	1	1						1					1		2
Mortification .....	64, 47, 54 years	3	1							1	1					3
Old Age .....	83, 70, 84, 73, 97, 85 years	2	4			1			1	1	1	2	1			6
Palsy .....	66, 64, 48, 65, 40, 28 years	3	3	1		1	1		1	1				1		6
Quinsy .....	10, 4m, 1, 4, 1, 5, 6, 1, 3 years	5	4	2		2			2			1		2		9
Small pox, natural .....	29 years	1						1								1
Strangury .....	61 years	1				1										1
Sudden .....	65, 15, 80, 30 years	2	2	2				1		1						4
CASUALTIES {	Drowned .....	2	1									1	1	1		3
	Fall .....	1	1					1	1							2
	Frozen .....	1		1												1
	Suicide .....	1					1									1
BIRTHS {	Males 138 } Total 295															
	Females 157 }															
Total		54	80	22	6	12	12	9	10	11	6	10	10	12	14	134

MARRIAGES 67.

PORTSMOUTH, the capital of the state of Newhampshire, situated 43°, 5', north latitude, and 6°, 26' east longitude from  
 contains above 6000 inhabitants.

by asphyxia was by attending a crowded evening lecture. Bedridden, this old lady had been confined to her  
 sixteen years. The consumption has made its usual ravages.







# BILL OF MORTALITY,

## For Portsmouth, Newhampshire, for A. D. 1806.

BY LYMAN SPALDING, M. D.

COMPLAINT.	AGE.	MALES.	FEMALES.	JANUARY.	FEBRUARY.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUGUST.	SEPTEMBER.	OCTOBER.	NOVEMBER.	DECEMBER.	TOTAL.
Aphtha . . . . .	3w, 4w, 3w, 4w, 15 days	4	1						1		2		1		1	5
Apoplexy . . . . .	60 28 years	2					1							1		2
Atrophy 77, 3m, 62, 67, 14, 40y, 2m, 64, 2, 51y, 2m, 2, 65y		6	7	2	1	1	1	2	3	1		1	1			13
Bedridden . . . . .	87 years	1	1													1
Bleeding at the lungs . . . . .	14 years	1									1					1
Cancer . . . . .	68, 53 years	1	1				1								1	2
Cholera of infants . . . . .	1y, 6, 4, 4, 9, 4 months	4	2							3		2				6
Consumption <sup>31 71 56 20 48 52 30 41 54 34 24</sup> <sub>56 31 18 70 64 66 36 39 45 61</sub> y		10	11	2	3	1	1	3	2	1	1	1	2	3	1	21
Convulsions . . . . .	54, 5, 43, 45y, 3w, 5m, 10 days	4	3	1			1			1	2		2			7
Croup . . . . .	74 years	1								1						1
Dropsy . . . . .	76, 68, 55, 35, 60 years	2	3	1				1			1		1	1		5
Dropsy in the brain . . . . .	3, 10m, 3 years	2	1		1	1				1						3
Dropsy on the brain . . . . .	1 year	1				1										1
Dysentary . . . . .	67 years		1										1			1
Erythema . . . . .	2 months	1												1		1
Fever from worms . . . . .	5 years		1								1					1
Fever pulmonic . . . . .	8w, 14, 77, 56, 65, 75 years	2	4	2		1		1				1		1		6
Fever typhus . . . . .	40, 17, 50, 60 years	2	2	1	1		1						1			4
Gout . . . . .	50 years		1								1					1
Herpes . . . . .	9 weeks		1										1			1
Hooping cough . . . . .	3, 7m, 10 days	2	1	3												3
Insanity . . . . .	53 years		1											1		1
Inflammation of the stomach . . . . .	47 years	1						1								1
Mortification . . . . .	60, 2, 74, 5 years	2	2			1	1				1			1		4
Nephritis . . . . .	41 years	1									1					1
Old age 78, 80, 98, 80, 88, 79, 79, 85, 84 years		3	6	4	1	1							2		1	9
Palsy . . . . .	44, 77 years	1	1					1						1		2
Phrenitis . . . . .	28, 11 years	2			1	1										2
Quinsy . . . . .	1, 7, 4, 5 years	3	1			1	1	1	1							4
Spina bifida . . . . .	3 months		1	1												1
Scrophula . . . . .	4 years	1				1										1
Strangury . . . . .	20 years	1				1										1
Tetanus . . . . .	4 years		1								1					1
Ulcer carious . . . . .	70 years	1											1			1
CASU-ALTIES {	Burnt . . . . . 77 years		1			1										1
	Drowned . . . . . 30 years		1									1				1
	Poisoned by opium . . . . . 22, 1 years		2						1	1						2
BIRTHS {	Males 128 } Total 256															
	Females 128 }															

MARRIAGES 63

Total 61 58 18 8 12 9 10 8 9 13 6 12 10 4 119

PORTSMOUTH, the capital of the state of Newhampshire, situated 43°, 5', north latitude, and 6°, 26' east longitude from Washington, contains above 6000 inhabitants.







# BILL OF MORTALITY,

For Portsmouth, Newhampshire, for A. D. 1807.

BY LYMAN SPALDING, M. D.

COMPLAINT.	AGE.	MALES.	FEMALES.	JANUARY.	FEBRUARY.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUGUST.	SEPTEMBER.	OCTOBER.	NOVEMBER.	DECEMBER.	TOTAL.
Aphtha .....	3 weeks	1														1
Aneurism .....	26 years	1										1				1
Asthma .....	77, 42 years	1	1	1										1		2
Atrophy 3, 3m, 2y, 6m, 2, 75y, 3, 7, 1m, 1, 1, 4 years		5	7	1	1			2	2			3	1	1	1	12
Bleeding at the umbilicus .....	1 week	1											1			1
Cholera of Infants .....	1 year	1										1				1
Consumption <sup>65 45 22 28 76 56 37 50 67 44 70 23 38 30 25</sup> <sub>34 22 37 39 79 36 19 35 42 23 37 55 36 23 53</sub> y		13	17	1	5	2	2	1	4	4	2	3	3	2	1	30
Convulsions .....	6, 1m, 68, 2y, 12d, 18 years	6			1		1			1	2	1				6
Dropsy .....	28, 34, 75, 75, 34 years	4	1	1	1		1		1	1						5
Dropsy in the brain .....	1, 7 years	2					1	1								2
Drunkenness .....	37 years	1										1				1
Epilepsy .....	45 years		1		1											1
Erythema .....	2 months	1													1	1
Fever billious .....	17, 5, 15 years	1	2										2	1		3
Fever from worms .....	6, 2 years		2					1			1					2
Fever inflammatory .....	24 years	1				1					1					1
Fever intermittent .....	31 years	1													1	1
Fever typhus .....	18 years		1											1		1
Fever pulmonic .....	62, 46, 37, 64, 48 years	1	4					1				3			1	5
Herpes .....	66 years	1				1										1
Influenza .....	51y, 2, 1m, 43y, 15, 4m, 72 years	7											2	3	2	7
Jaundice .....	27 years	1			1											1
Mortification ...	67y, 7m, 63, 67, 16, 33, 5 years	4	3	1	1		1	1			1	2				7
Old age 79, 91, 89, 74, 89, 82, 82, 73, 80, 78 years		3	7		1		1			2		3		1	2	10
Palsy .....	71, 75, 54, 64, 64 years	1	4	1		1			2			1				5
Quinsy .....	2 years	1													1	1
Schirrus liver .....	41 years	1								1						1
Sudden .....	25, 22, 52, 60 years	2	2		1			1			1				1	4
CASU- { Drowned .....	43, 56, 56, 24 years	4								1	3					4
ALTIES { Scalded .....	3 years	1		1												1
BIRTHS { Males 151 } { Females 133 } Total 284		Total 57	62	7	13	6	7	7	9	10	10	19	9	10	12	119
MARRIAGES 62																

PORTSMOUTH, the capital of the state of Newhampshire, situated 43° 5' north latitude, and 6° 26' east longitude from Washington, contains about 7000 inhabitants.

On the 23rd of January, at sunrise, the thermometer was 10 deg. on the 26th 13 deg. below Zero; the coldest weather ever recorded in this town. By 8 o'clock on those days the town was so completely filled with an intensely thick fog or vapour from the Piscataqua river, as to render it almost impossible to see across the streets. A severe rain storm immediately followed each of those days. Between the 23rd and 26th the Influenza made its appearance, and after visiting almost every family in town, subsided early in May.

About the middle of August the Influenza made its second appearance, which was more severe than the first, sparing none, not even those who suffered the most in the former attack. After destroying a few and predisposing many to Consumption, it disappeared in December. The mild Typhus fever appeared in October and prevailed through the year.



# REPORT OF THE THE TYPHOID FEVER IN THE CITY OF BOSTON FOR THE YEAR 1892

COMPLAINT.		AGE.													



# BILL OF MORTALITY,

For Portsmouth, Newhampshire, for A. D. 1808.

BY LYMAN SPALDING, M. D.

COMPLAINT.	AGE.	MALES.	FEMALES.	JANUARY.	FEBRUARY.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUGUST.	SEPTEMBER.	OCTOBER.	NOVEMBER.	DECEMBER.	TOTAL.			
Abscess . . . . .	14 years	1												1		1			
Angina Pectoris . . . . .	63 years	1												1		1			
Aphtha . . . . .	3w, 1, 7m, 2 weeks	2	2							1	1	1	1			4			
Apoplexy . . . . .	48 years	1							1							1			
Atrophy . . . . .	1w, 6oy, 59y, 6m, 6o, 1, 1, 66 years	6	2				2		2		2	1		1		8			
Bleeding at the stomach . . . . .	48 years	1							1							1			
Cholera of Infants . . . . .	2, 1, 2 years	2	1									2		1		3			
Consumption . . . . .	4 <sup>1</sup> 68 34 55 66 44 32 68 9 15 years 5 <sup>1</sup> 61 30 51 68 31 8 19 21 51	8	12	1	3	1	3	2	2	1	2	1		4		20			
Convulsions 2, 2, 1w, 1m, 2, 1, 3w, 1, 4oy, 3w, 65y 1w		5	7		3			3	2		2	2				12			
Croup . . . . .	2 years	1													1	1			
Dropsy . . . . .	26, 46, 43, 58 years	2	2								1	1		2		4			
Dropsy in the brain . . . . .	9m, 1, 2, 9 years	4							1	1				2		4			
Dysentery . . . . .	1, 1 year	2									2					2			
Erythema . . . . .	6m, 1 week	2												2		2			
Fever billious . . . . .	6m, 76, 29 years	3					1				1			1		3			
Fever puerperal . . . . .	24 years	1											1			1			
Fever pulmonic . . . . .	8o, 68, 37, 35, 4 years	4	1				2	2	1							5			
Fever typhus . . . . .	19 years	1											1			1			
Hooping Cough . . . . .	1y, 2, 9, 2, 3 months	3	2	1						1				3		5			
Intoxication . . . . .	35 years	1											1			1			
Malignant sore throat . . . . .	2 years	1									1					1			
Mortification . . . . .	51, 8, 37 years	3	1	1						1				1		3			
Nephritis . . . . .	34 years	1		1												1			
Nonclosure of the foramen o <sup>v</sup> ale and canalis arteriosus	2 weeks	1								1						1			
Old age . . . . .	8o, 9o, 8o, 79, 87, 82, 75 years	3	4	1			2	2				1	1			7			
Palsy . . . . .	75 years	1													1	1			
Phrenitis . . . . .	63 years	1						1								1			
Schirrous bladder . . . . .	74 years	1													1	1			
Schirrous liver . . . . .	6o, 4o years	1	1					1						1		2			
Sudden . . . . .	53y, 2d, 77 years	2	1	1	1								1			3			
Worms . . . . .	2 years	1													1	1			
CASUALTIES	Burnt . . . . .	1											1			1			
	Drowned . . . . .	4		1				1		1				1		4			
	Suicide . . . . .	1					1									1			
BIRTHS { Males 141 } { Females 134 }		275		still born 8															
MARRIAGES 56		Total		57	51	6	8	1	1	1	12	10	7	12	9	7	21	4	108

PORTSMOUTH, the capital of the state of Newhampshire, situated 43° 5' north latitude, and 6° 26' east longitude from Washington, contains about 7000 inhabitants.





# BILL OF MORTALITY,

## For Portsmouth, Newhampshire, for A. D. 1809.

### BY LYMAN SPALDING, M. D.

COMPLAINT.	AGE.	JANUARY.	FEBRUARY.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUGUST.	SEPTEMBER.	OCTOBER.	NOVEMBER.	DECEMBER.	TOTAL.
Aneurism . . . . .	57. years	1												1
Angina Pectoris . . . . .	18, 54. years			1					1					2
Aphtha . . . . .	2. y-2. weeks		1									1		2
Apoplexy . . . . .	74. 48. years				1						1			2
Atrophy . . 2. m-2. y-9. 1, 1, m 1, 1, 70. 60. 54. years		1	1		3		1	1	1		2			10
Cholera of infants . . . . .	6. weeks						1							1
Consumption 35. 33. 22. 40. 39. 34. 50. 35. 32. 20. 15. 35. 36. 39. 32. 24. 35. y		1	2	3	2			1	1	2	1	2	1	17
Convulsions 4. m 2, d 6. w 3, m 65. y 1. w 1. 2. 2. m 2, y 6. m.		2	1	1	1	1			1	1	2		1	11
Debauchery . . . . .	58. years									1				1
Dropsy in the brain . . . . .	1. y-8, 5. 2, months	1			1				1			1		4
Dysentery . . . . .	4. months						1							1
Erythema . . . . .	2. 1. 3, months		2									1		3
Fever pulmonic . . . . .	78. 70. 56, 68. 69. 70. 77, years				2			1			1		3	7
Fever typhus . . . . .	48. 65. years	1		1										2
Inflammation of the stomach . . . . .	68. years		1											1
Mortification from ossified arteries . . . . .	77. years							1						1
Old age . . . . .	97. 94. 84. 78. 85. 85. 78. 81. 75. years	1	1	1	1	2		1				2		9
Palsy . . . . .	69. 50. years					1							1	2
Quinsy . . . . .	4. months												1	1
Scirrhus liver . . . . .	55. years				1									1
Spina bifida . . . . .	10. months											1		1
Sudden . . . . .	57. 67. years												2	2
Syphilis . . . . .	39. years									1				1
CASU- { Choaked . . . . .	5. years					1								1
ALTIES { Suicide . . . . .	51. years									1				1
BIRTHS { Males 146 } 289 still born 8														
BIRTHS { Females 143 }														
MARRIAGES 69														
Total		8	9	7	13	4	3	5	6	5	8	8	9	85

PORTSMOUTH, the capital of the State of Newhampshire, situated 43° 5' north latitude, and 6° 26' east longitude from Washington, contains about 7000 inhabitants.

The town has been remarkably healthful during the whole year; the deaths have been far less than in any year since bills have been kept.

NOTE. This bill is so constructed as to show the complaint, age, sex, &c. and whether married or unmarried.

When a period follows the age, it denotes the male sex, a comma the female sex; when in their usual place at the bottom of the line, unmarried—at the top of the line, married.





# BILL OF MORTALITY,

For Portsmouth, Newhampshire, for A. D. 1810.  
BY LYMAN SPALDING, M. D.

COMPLAINT.	AGE.	JANUARY.	FEBRUARY.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUGUST.	SEPTEMBER.	OCTOBER.	NOVEMBER.	DECEMBER.	TOTAL.
Apoplexy . . . . .	78 <sup>c</sup> years		1											1
Atrophy 1, w 76 <sup>c</sup> y 3 d 2, 5 68 <sup>c</sup> y 2, m 2, 47 <sup>c</sup> y 10. d 4 m 56. 2. y		1	1	3		2		1		3		1	1	13
Chlorosis . . . . .	13, years								1					1
Cholera of infants . . . . .	4. m 2. 2, y 1, m 1. 1. 1, year								1	2	2	2		7
Consumption 33 55 <sup>c</sup> 36 <sup>c</sup> 23, 63 <sup>c</sup> 35 <sup>c</sup> 64 <sup>c</sup> 58. 20. 21. 42 3 <sup>c</sup> 25 <sup>c</sup> 52 <sup>c</sup> 69 <sup>c</sup>	40 15, 41 <sup>c</sup> 38 <sup>c</sup> 41 <sup>c</sup> 23. 28, 17, 25 <sup>c</sup> 44 <sup>c</sup> 28 34. years		2	4	2	1	3	3	4	1	4	1	2	27
Convulsions . . . . .	5. m 2, y 6. m 4. years			2					1				1	4
Croup . . . . .	2. years												1	1
Dropsy . . . . .	40 <sup>c</sup> 60 <sup>c</sup> 2. years							1	1			1		3
Dropsy in the brain 2. 13, y 5. m 2. 5, 4, 2, y 3, months		1	1	1	1	1		1		1	1		1	8
Erythema . . . . .	3. m 1, week	1					1							2
Fever inflammatory . . . . .	5. 4, years						1		1					2
Fever petechial . . . . .	9, years				1									1
Fever puerperal . . . . .	18 <sup>c</sup> 44 <sup>c</sup> years			1								1		2
Fever pulmonic . . . . .	52 <sup>c</sup> 75 <sup>c</sup> 78 <sup>c</sup> 5, y 4, months	1	2		1				1					5
Gout . . . . .	74. years									1				1
Hemorrhage . . . . .	69. 52 <sup>c</sup> years		1						1					2
Hooping cough . . . . .	1, 3, years										2			2
Inflammation . . . . .	46. years					1								1
Mortification . . . . .	53 <sup>c</sup> 67 <sup>c</sup> years					1		1						2
Old age . . . . .	89. 90 <sup>c</sup> 77 <sup>c</sup> 89 <sup>c</sup> 90 <sup>c</sup> 79 <sup>c</sup> 78. years	2	1		2			2						7
Palsy . . . . .	58 <sup>c</sup> 74 <sup>c</sup> 87 <sup>c</sup> 60 <sup>c</sup> years	1		1							2			4
Phrenitis . . . . .	50. years			1										1
Quinsy . . . . .	7. m 1. 1, year	2								1				3
Scirrhus liver . . . . .	25. years							1						1
CASU- ALTIES {	Burnt . . . . .										1	2		3
	Drowned . . . . .							1			1			2
	Overlaid . . . . .											1		1
	Run over by a waggon . . . . .					1		1						2
	Suicide . . . . .					1						1		2
BIRTHS { Males 130 } 252	Still born 6													
MARRIAGES 64.														
Total		7	10	13	9	6	6	11	11	9	13	9	7	111

PORTSMOUTH, the capital of the State of Newhampshire, situated 43° 5' north latitude, and 6° 26' east longitude from Washington, contains 6934 inhabitants.

The month of January exhibited the coldest, as well as the most remarkable change, of weather ever recorded in Newhampshire. At 12 o'clock at noon of the 18 the thermometer was at 42°, and at 12 the 19 it had fallen 12° below zero. It fluctuated between 7° and 14° below zero from the 19 to the 22. We do not find that either this sudden change, or extreme cold weather had any material effect on the health of our citizens.

NOTE. This bill is so constructed as to show the complaint, age, sex, &c. and whether married or unmarried. When a period follows the age, it denotes the male sex, a comma the female sex; when in their usual place at the bottom of the line, unmarried—at the top of the line, married.





# BILL OF MORTALITY,

For Portsmouth, Newhampshire, for A. D. 1811.

BY LYMAN SPALDING, M. D.

COMPLAINT.	AGE.	JANUARY.	FEBRUARY.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUGUST.	SEPTEMBER.	OCTOBER.	NOVEMBER.	DECEMBER.	TOTAL.
Angina Pectoris . . . . .	58. years												1	1
Aphtha . . . . .	1. month							1						1
Apoplexy . . . . .	75. years	1												1
Atrophy . . . . .	2. m 4. 7. 68, 64, 7, 2. 3. years	2	1	1	1	1		1			1	1		8
Cholera of infants . . . . .	1, 2. years.										1		1	2
Colick bilious . . . . .	17. years							1						1
Consumption 29. 60. 45. 35. 20. 48. 30. 59. 25. 48. 40. 33. 68. years 69. 25. 30. 20. 70. 32. 44. 35. 60. 65. 54. 81. 30.		2	1	1	2	2	2	5	3	1	2	4	1	26
Convulsions 1. y 3. d 3. w 6. y 2. 3. 1. w 2. y 2. m 1. w 1. m 1. d		2	1				1	1	2		2	2	1	12
Cynanche maligna . . . . .	3. years					1								1
Diseased vertebræ . . . . .	24. years								1					1
Dropsy . . . . .	64. 60. 68. 31. years	1		1				1						4
Dropsy in the brain . . . . .	3. 2. y 2. 3. m 14. 4. 1. 1. year			1					2	2	2		1	8
Erythema . . . . .	2. 3. months					1						1		2
Fever pulmonic . . . . .	2. years						1							1
Hemorrhage . . . . .	28. 35. 69. years		1				1						1	3
Hooping cough . . . . .	4. years											1		1
Intoxication . . . . .	31. years								1					1
Mortification . . . . .	1, 48, 2, 90, 4. years		1					1				1	1	5
Old age 87. 83. 70. 76. 90, 87. 74. 81. 80, 88. 90. 85. y.		1	1	1	1	1			2	1	1	1	2	12
Palsy . . . . .	69. 78. 58. 72. years			2	1									4
Phrenitis . . . . .	30. 8. years					1					1			2
Quinsy . . . . .	2. years	1												1
Rheumatism . . . . .	55. years		1											1
Scrophula . . . . .	26, 10. years					1					1			2
Smallpox . . . . .	20. years						1							1
Tetanus . . . . .	14. years							1						1
CASU-ALTIES. { Drowned . . . . .	78. 62. 50. 40. years						1	1				2		4
{ Falling of earth, . . . . .	35. years									1				1
{ Suicide . . . . .	18, 41. years				1			1						2
BIRTHS { Males 130 } 254 Still born 15. { Females 124 }														
MARRIAGES 69.														
Total		4	10	8	6	8	8	14	12	5	12	13	10	110

PORTSMOUTH, the capital of the State of Newhampshire, situated 43. 5. north latitude, and 6. 26. east longitude from Washington, contains 6934 inhabitants.

NOTE. This bill is so constructed as to show the complaint, age, sex, &c. and whether married or unmarried. When a period follows the age, it denotes the male sex, a comma the female sex; when in their usual place at the bottom of the line, unmarried....at the top of the line, married.











